Disable Multifeed Detection



ClearCount Quick Guide

- 1. Log into Windows as the administrative user.
- 2. Launch ScandAll Pro
- 3. Click on the **Batch Scan Settings** button:

2	ScandA	II PRO -	- Unti	tled	ł																																	
File	Scan	Edit	View	1	Pag	e	Ν	larl	c	Zo	om		Тос	Ы	Н	elp																						
	H	R	6) [Ę			x		2	5	2) [Ô		Ģ	9	¢		1			P		R					A		h		ſ		
	-	CBG	fi-640	0 Pr	rofile	•		~	4	-	6	0	ĺ	7	ľ		l	1		ł		2	5	Ĵ,		1	3		Ð)	þ						~	1
_			×	1. 1	* *		* *			1 . N	1. N.	[Bat	ch	Sca	in S	Sett	ing	s	* *		-				7	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	
																																						1.1
																																						200
																																						100
																																						1. 1
																																						1.1
				1	1	1	1	1	1	18	18	18	18	1	18	18	18	18	18	18	1	18	18	18	1	1	1.	2.	2	2	2	2.1	1	2	2	2	1.	1.1

4. In the window that opens, ensure the CBG <ScannerModel> profile is selected and click **Edit**:

Batch Scan Settings		×
Profile :		
Profile	Tupe	Add
CBG fi-6400 Profile	shared	Сору
Archived documents Barcode-based job separation Batch scamping for monochrome documents	Template Template Template	Edit
File naming using Zone OCR	Template	Delete
Output color-monochrome simultaneously Patchcode-based job separation	Template Template Template	
Searchable PDF	Template	Up
		Down
Scanner = 6400 JPEG 8bit Grayscale JPEG Quality = 6 Job Separation Sheet Use 200mb memory on both scanner & PC Paper size: Long page (duplex) Scan at 200dpi Duplex		^
Date updated: 3/13/2020 2:10:11 PM		~
Scan	Close	Help



5. In the Profile Editor, select the **Scan** tab at the top, and click on **Detail Scanner Settings**:

Profile Editor					×
Genera Scan File fi	ormat and Name scheme Do	ocument separation	Filter	Linking	
Scanner : Papers	tream IP fi-6400			Select Scann	er
Parameters					
Pixel Type :	Use Detail Scanner Setting	IS		`	/
Paper Size :	Use Detail Scanner Setting	IS		×	1
Scan Type :	Use Detail Scanner Setting	IS		```	/
Resolution :	Use Detail Scanner Setting	s		· · · · · · · · · · · · · · · · · · ·	
			Detail S	canner Settings.	
Enable continuous	scanning				
Close dialog after	scanning with the Scan buttor	n			
Display scanned in	nages immediately after scanr	ning			
Save files duri	ng scanning window				
Mark pages when	error is detected by Automatic multifeed is detected	c Image Quality Chec	ker (C (C	Depend on Hard Depend on Hard	ware) ware)
		OK Canc	el	Apply	Help

6. In the PaperStream IP (TWAIN) window, click the icon with two arrows:

PS PaperStream	IP (TWAIN) - fi-6400dj		×
000: Current Sett	ting 💌		2
Paper Source:	Feeder (Both Sides)	v	
Scan	Assisted Scan	ок Са	ancel



7. From the left panel, select Paper Feeding, under the Multifeed Detection option, select **Do not detect**:

PS PaperStream IP (TWAIN) - fi-6400dj	×									
000: Current Setting 👻										
Basic	Multifeed Detection									
lmage	Detect									
Page	Do not detect									
Paper Feeding	multifeed.									
Batch	Action									
Endorser	Stop and Show Image									
Output	Condition									
About	Hardware Setting									
	Overlapping V									
	Overlapping and Length									
	Paper Protection Off									
	,, Pre-Pick									
Scan	OK Cancel Preview									

8. Press **OK** to save changes on all windows, and close ScandAll Pro.